

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixtures
Trade name	: Wirelock Booster
Type of product	: Herder, støpesystem
Product group	: Chemicals

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category	: Professional use and Industrial use
Use of the substance/mixture	: Støping av endefester på ståltau

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Millfield
16 Shelley Road, Newburn Industrial Estate, Newburn,
Newcastle Upon Tyne NE15 9RT, England
United Kingdom
Tel: +44 (0) 191 264 8541
mail@millfield-group.co.uk

1.4. Emergency telephone number

Emergency number	: +44 (0) 191 264 8541 (Available hours: 9am - 5pm, Monday - Friday) UK National Poisons Information Service (Telephone information service) 0870 600 6266 (24 hours) Poison Information Centre Mainz, Germany. Tel: +49-6131-19240
------------------	---

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Organic Peroxides, Type G	
Serious eye damage/eye irritation, Category 2	H319
Sensitisation — Skin, Category 1	H317
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)	: Warning
Hazardous ingredients	: dibenzoyl peroxide, benzoyl peroxide
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H400 - Very toxic to aquatic life
Precautionary statements (CLP)	: P261 - Avoid breathing dust, fume P264 - Wash hands, forearms and face thoroughly after handling P272 - Contaminated work clothing should not be allowed out of the workplace P273 - Avoid release to the environment

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

P280 - Wear protective gloves, protective clothing, eye protection, face protection
P302+P352 - IF ON SKIN: Wash with plenty of water

2.3. Other hazards

other hazards which do not result in classification : Risk of dust explosion. No additional information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide, benzoyl peroxide	(CAS No) 94-36-0 (EC no) 202-327-6 (EC index no) 617-008-00-0 (REACH-no) to be provided	15 - 25	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a doctor/medical service if you feel unwell. Show this safety data sheet to the doctor in attendance.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : The symptoms and effects are as expected from the hazards as shown in section 2.

Symptoms/injuries after inhalation : Dust from this product may cause respiratory irritation. Dusts are mechanical irritants.

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Dusts are mechanical irritants. Causes serious eye irritation.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure. Ingestion of large amounts may produce gastrointestinal disturbances.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Supports combustion. Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Explosion hazard : Heating may cause an explosion.

Reactivity in case of fire : CAUTION: reignition may occur.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Fire will produce smoke containing hazardous combustion products.

5.3. Advice for firefighters

Precautionary measures fire : Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges. Use self-contained breathing apparatus and chemically protective clothing.

Firefighting instructions : No special requirements.

Protective equipment for firefighters : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid breathing dust. Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume.

Measures in case of dust release : Avoid breathing dust. Mechanically ventilate the spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Avoid release to the environment. Refer to special instructions/Safety data sheets. Collect in closed containers for disposal. In case of loss of large quantities, advise local authorities.

Methods for cleaning up : Mechanically recover the product. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Collect all waste in suitable and labelled containers and dispose according to local legislation.

Other information : Dispose of materials or solid residues at an authorized site. For disposal of contaminated materials refer to section 13 : "Disposal considerations".

6.4. Reference to other sections

For disposal of residues refer to section 13: "Disposal considerations". For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing dust, fume. Wear personal protective equipment. Avoid contact with eyes, skin, and clothing. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Avoid high temperatures and open flames. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep container tightly closed. Maximum storage temperature: 25 °C.

Incompatible materials : Keep away from reducing agents (e.g. amines), acids, alkalies and heavy metal compounds (e.g. accelerators, driers, metal soaps).

Storage area : Keep away from sources of ignition. Keep the container tightly closed. Keep out of reach of children.

7.3. Specific end use(s)

Refer to section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dibenzoyl Peroxide, Benzoyl peroxide (94-36-0)

United Kingdom	Local name	Dibenzoyl peroxide
United Kingdom	WEL TWA (mg/m ³)	5 mg/m ³

Components	CAS-No.	Value	Control parameters	Update	Basis	Form of exposure
Dibenzoyl peroxide	94-36-0	TWA	5 mg/m ³	2005-04-06	GB EH40	
Dust		TWA	4 mg/m ³	1997-01-01	GB EH40	Total dust
	Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemiceffects	11.75 mg/m3
	Workers	Skin contact	Long-term systemic effects	6.6 mg/m3
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3.3 mg/m3
	Consumers	Ingestion	Long-term systemic effects	1.65 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Dibenzoyl peroxide	Fresh water	0.000602 mg/l
	Marine water	0.000060 mg/l
	Intermittent water	0.000602 mg/l
	Sewage treatment plant	0.35 mg/l
	Fresh water sediment	0.338 mg/l
	Soil	0.0758 mg/l
	Secondary Poisoning	6.67 mg/l

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. A washing facility/water for eye and skin cleaning purposes should be present. A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal protective equipment:

Dust formation: dust mask. Dustproof clothing. Protective gloves. Protective goggles.



Materials for protective clothing:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Hand protection:

Protective gloves. Impervious solvent resistant rubber gloves. chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Eye protection:

Safety glasses. When engaged in activities where ingredients could contact the eye, wear safety glasses with side shields or goggles. In extremely dusty environments and unpredictable environments, wear unvented or indirectly vented goggles to avoid eye irritation or injury. Contact lenses should not be worn when working with ingredients. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Skin and body protection:

Wear suitable protective clothing. Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Respiratory protection:

Thermal hazard protection:

Not applicable.

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Colour	: White
Odour	: Faint
Odour threshold	: No data available
pH	: Neutral
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: Decomposes below the boiling point
Flash point	: Not applicable for a solid
Auto-ignition temperature	: Test method not applicable
Decomposition temperature	: SADT - (Self accelerating decomposition temperature) is the lowest temperature at which self accelerating decomposition may occur with a substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by thermal decomposition at and above the SADT. Contact with incompatible substances can cause decomposition below the SADT. Self-Accelerating decomposition temperature (SADT): 70 °C
Flammability (solid, gas)	: Decomposition products may be flammable. Non flammable
Vapour pressure	: Not applicable
Relative vapour density at 20 °C	: No data available
Relative density	: 2.29 at 20 °C
Density	: 588 kg/m ³ at 20 °C
Solubility	: Insoluble in water Organic solvent: No data available
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not data available Not data available Not data available Not data available

9.2. Other information

SADT	: 70 °C
Bulk density	: 588 kg/m ³ at 20 °C
Organic Peroxides, Type B	: 20 %
Active Oxygen Content	: 1.32 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents and Strong reducing agents. Do not mix with peroxide accelerators, unless under controlled processing. Use only stainless steel 316, PP, polyethylene or glass-lined equipment.

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

10.6. Hazardous decomposition products

Magnesium oxides. benzoic acid. Calcium oxides. Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified pH: Neutral
Serious eye damage/irritation	: Causes serious eye irritation. pH: Neutral
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on toxicological effects: Toxicology data for the components

Dibenzoyl peroxide, benzoyl peroxide (94-36-0)	
CMR effects	Carcinogenicity: Not carcinogenic. Mutagenicity: Not mutagenic. Teratogenicity: No toxicity to reproduction
Acute oral toxicity	LD50: > 5,000 mg/kg Species: Rat
Acute inhalation toxicity	LC50 (Rat): > 24.3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Skin irritation	Slight irritation
Eye irritation	Result: Irritation to eyes, reversing within 7 days
Germ cell mutagenicity: Genotoxicity in vitro Genotoxicity in vivo	: Result: No evidence of genotoxic effects in vitro : Result: No evidence of genotoxic effects in vivo
Reproductive toxicity/Fertility	Species: Rat, male Application Route: Oral General Toxicity - Parent: No observed adverse effect level: 1,000 mg/kg bw/day Method: OECD Test Guideline 422 Species: Rat, females Application Route: Oral General Toxicity - Parent: No observed adverse effect level: 500 mg/kg bw/day Method: OECD Test Guideline 422
Target Organ Systemic Toxicant - Single exposure	Exposure routes: Ingestion The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	Exposure routes: Ingestion The substance or mixture is not classified as specific target organ toxicant, repeated exposure
Aspiration toxicity	No aspiration toxicity classification

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal of the product.
-------------------	--

Wirelock Booster Pack	
Acute aquatic toxicity	Very toxic to aquatic life
Dibenzoyl peroxide, benzoyl peroxide (94-36-0)	
Acute aquatic toxicity	Very toxic to aquatic organisms
Chronic aquatic toxicity	This product has no known ecotoxicological effects
Toxicity to fish	LC ₅₀ 0.06 mg/L (Exposure time: 96 h)
Toxicity to daphnia and other aquatic invertebrates	EC ₅₀ : 0.11 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea)

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

Dibenzoyl peroxide, benzoyl peroxide (94-36-0)

Toxicity to algae	EC ₅₀ : 0.06 mg/l Exposure time: 72 h Species: algae
M-Factor	10
Toxicity to bacteria	EC ₅₀ : 35 mg/l Species: Bacteria

12.2. Persistence and degradability

Wirelock Booster Kit	
Biodegradability	No additional information available
Dibenzoyl peroxide, benzoyl peroxide (94-36-0)	
Biodegradability	Result: Inherently biodegradable

12.3. Bioaccumulative potential

Wirelock Booster Kit	
Log Pow	No data available
Dibenzoyl peroxide, benzoyl peroxide (94-36-0)	
Bioaccumulation	Bioconcentration factor (BCF): 66.6

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Wirelock Booster Kit	
PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Dibenzoyl peroxide, benzoyl peroxide (94-36-0)	
PBT and vPvB assessment	Not classified as PBT or vPvB

12.6. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3077	3077	3077	3077	3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 601, 375
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2Z

- Transport by sea

Transport regulations (IMDG)	: Not considered dangerous goods in the sense of these transport regulations
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK1, BK2, BK3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23

- Air transport

Transport regulations (IATA)	: Not considered dangerous goods in the sense of these transport regulations
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L

- Inland waterway transport

Transport regulations (ADN)	: Not considered dangerous goods in the sense of these transport regulations
Classification code (ADN)	: M7
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T* B**
Equipment required (ADN)	: PP, A
Number of blue cones/lights (ADN)	: 0

- Rail transport

Transport regulations (RID)	: Not considered dangerous goods in the sense of these transport regulations
Classification code (RID)	: M7
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: PP12, B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1, BK1, BK2
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV, LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W13
Special provisions for carriage – Bulk (RID)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code	: Not applicable.
IBC product name	: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information	: This product contains an inert coarse sand which is not hazardous to health or damaging to the environment. The sand does not contain any respirable crystalline silica which is hazardous to human health. Respirable crystalline silica (quartz) may be generated if the product is ground, abraded or otherwise processed.
-------------------	---

Wirelock Booster Kit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 2015/830

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Sensitisation — Skin, Category 1
H241	Heating may cause a fire or explosion
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Org. Perox. G		On basis of test data
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product